

# LFHT / LFVT

Laminar Flow Horizontal Trolley  
Laminar Flow Vertical Trolley



## LFHT / LFVT

### Laminar Flow Horizontal Trolley Laminar Flow Vertical Trolley

#### Introduction

Laminar Flow Horizontal or Vertical Trolleys are mobile transport carts or trolleys providing ISO Class 5 clean air (as per ISO 14644-1). These laminar flow trolleys utilize a unidirectional airflow to eliminate contamination during the transfer of sterile/aseptic materials.

Laminar Trolleys are customizable units that can provide:


- Product aseptic zones with single pass or recirculatory airflow.
- Operator or environment protection (only available in recirculatory airflow) and in negative pressure with respect to ambient.
- Stand alone units mounted over mobile stands for mobile aseptic zones.

#### Applications


- Medical Industry (i.e., operating theatre)
- Filling Line System ISO Class 5 coverage
- Nanotechnology
- High-End Electronics
- Space Industry
- Pharmaceutical Industry
- Research and Development Laboratories

#### Basic Principles

- Room air is drawn via an G4 prefilter before entering perforated diffuser into the supply plenum.
- Airflow passes through a baffle system prior to gel-sealed HEPA filtration, creating a low decibel aseptic work zone for operator comfort.



Hydraulic height adjustable



Hydraulic ramp



#### Standard Features

- Easy to clean stainless steel construction.
- Tempered glass doors
- Stainless steel hinges
- HEPA/ULPA knife edge gel-sealed design better than conventional gasket sealed.
- Sentinel™ Gold microprocessor control with audio/visual alarms for downflow velocity and differential pressure across filters.
- Polyurethane (PU) wheels
- Battery for onboard power when not connected to main building supply
- Emergency stop

#### Optional Configurations

##### Airflow Patterns

- Single Pass
- Recirculatory

##### Optional Features

- Hydraulic adjustable stands
- Electromagnetic interlocking doors
- Perforated shelves
- Splashproof electrical outlets
- PVC strips curtains
- Pressure gauge provision
- Selection of material of construction between an electrogalvanized (EG) steel exterior with ISOCIDE™ antimicrobial powder coating or full SS304 exterior and interior.



## Guide to Models

### LFVT - A-EG - - S-P-2

Product Code	MOC	Internal Width	Internal Dimension	Internal Height	Airflow Pattern	Airflow Pressure	Battery Life (Hrs)
<b>V</b> - Vertical airflow	<b>A-EG</b> Steel Exterior/ Interior with SS304 base.	TBD	TBD	TBD	<b>S</b> -Single Pass	<b>P</b> -Positive	A half hour
<b>H</b> -Horizontal airflow	<b>B-SS</b> Full SS304 right angle corners.	TBD	TBD	TBD	<b>R</b> -Recirculatory	<b>N</b> -Negative	(standard)

\* TBD - To be discussed according to the customers' preference.

## Customizations

	Prolonged battery life for UPS (eg. 45 minutes, 2 hours, etc).
	Adjustable Slots



# ESCO LIFESCIENCES GROUP NETWORK

## 42 Locations in 24 Countries All Over the World



- Global Offices
- Distributors
- Factories
- R&D Centers
- Regional Distribution Centers



Air Shower  
 Aseptic Containment Isolator (ACTI)  
 Ceiling Laminar Airflow Units  
 Cleanroom Transfer Hatch  
 Containment Barrier Isolator (CBI)  
 Downflow Booth (DFB)  
 Dynamic Floor Laminar Hatch  
 Dynamic Pass Box  
 Evidence Drying Cabinet  
 Garment Storage Cabinet  
 General Processing Platform Isolator (GPPI)  
 Laminar Flow Horizontal Trolley  
 Laminar Flow Straddle Units, Single and Double  
 Laminar Flow Vertical Trolley  
 Pass Box  
 Soft Wall Cleanroom  
 Sputum Booth  
 Ventilated Balance Enclosure (VBE)  
 Weighing and Dispensing Containment Isolator (WDCI)

Since 1978, Esco has emerged as a leader in the development of controlled environment, laboratory and pharmaceutical equipment solutions. Products sold in more than 100 countries include biological safety cabinets, fume hoods, ductless fume hoods, laminar flow clean benches, animal containment workstations, cytotoxic cabinets, hospital pharmacy isolators, and PCR cabinets and instrumentation. With the most extensive product line in the industry, Esco has passed more tests, in more languages, for more certifications, throughout more countries than any biosafety cabinet manufacturer in the world. Esco remains dedicated to delivering innovative solutions for the clinical, life science, research and industrial laboratory community.

**ESCO**  
 HEALTHCARE



**Esco Micro Pte Ltd**  
 19 Changi South Street 1,  
 Singapore 486779  
 Tel: +65 65420833  
 Email: mail@escolifesciences.com

**Esco Technologies, Inc.**  
 2512 Metropolitan Drive, Suite 120 B  
 Feasterville-Trevose, PA 19053-6738  
 Tel: +1 215 322 2155  
 Email: eti.pharma@escolifesciences.com

**Esco GB Ltd**  
 Unit 2 R-evolution @ Gateway 36, Kestrel  
 Way, Barnsley, S70 5SZ  
 Tel: +44 (0) 1226 360 799  
 Email: egb.info@escolifesciences.com

**Esco Lifesciences Offices:** Bangladesh | China | Denmark | Germany | Hong Kong | India | Indonesia | Italy | Japan | Lithuania | Malaysia | Myanmar | Philippines | Russia | Singapore | South Africa | South Korea | Taiwan | Thailand | UAE | UK | USA | Vietnam



ISO 9001:2015, ISO 14001:2015, ISO 45001:2018  
 Esco can accept no responsibility for possible errors in catalogues, brochures and other printed materials. Esco reserves the right to alter its products and specifications without notice. All trademarks and logos in this material are the property of Esco and the respective companies.