

PHARMACY COMPOUNDING QUESTIONNAIRE



DATE:

I. ABOUT YOUR COMPANY

**Fields required to be filled out*

1. NAME*

2. DESIGNATION*

3. COMPANY*

4. ADDRESS*

5. EMAIL*

6. WEBSITE

7. PHONE NUMBER AND EXTENSION*

8. FAX*

9. YOU WORK FOR*

(Please Tick)

- End User/Facility Owner
- Cleanroom Builder/Contractor
- Lab Builder/Contractor
- Distributor

10. EXISTING ESCO EQUIPMENT*

11. REPEATED ORDER*

Yes, SN:

No

II. PROJECT INFORMATION

**Fields required to be filled out*

12. URS Available

Yes (please attach document)

No

13. Industry*

- Pharmaceutical/Biotech
- Micro-electronics
- Semiconductors
- Spray Painting
- Laboratory Animal Research
- Others, please specify:

14. Name of Project

15. Project Location
(City, Country)*

16. Deadline of submission for Tender*	
17. Timeline for Purchase	
18. Timeline for Installation*	
19. Level of Need*	<input type="checkbox"/> Have an approved budget (indicate: _____) <input type="checkbox"/> Preparing to submit a budget for approval <input type="checkbox"/> Gathering information for future reference
20. Application/s* <i>Respond only to fields that are applicable to your products, processes, or application details.</i>	<input type="checkbox"/> Sterile Pharmacy Compounding <input type="checkbox"/> Non-sterile Pharmacy Compounding <input type="checkbox"/> Hazardous Drug Compounding <input type="checkbox"/> Radiopharmaceutical Compounding <small>For radiopharmaceutical applications, please refer to and use the "Radiopharmacy Equipment Questionnaire".</small> <input type="checkbox"/> Sterility Testing <input type="checkbox"/> Research and Development <input type="checkbox"/> Others:
21. Type of Secondary Engineering Control* (Room where to place the cabinet)	<input type="checkbox"/> Cleanroom <input type="checkbox"/> ISO Class 7 <input type="checkbox"/> ISO Class 8 <input type="checkbox"/> Others, please specify: <input type="checkbox"/> Segregated Compounding Area <input type="checkbox"/> Others, please specify: <input type="checkbox"/> Room Dimension (W x D x H) - Height Clearance: - Door Dimension and Clearance :
22. Provide Site Plan/Floor Layout so that Esco can verify clearances are Sufficient for Installation/Maintenance Access	<p><i>Please attach the site plan/floor layout together with this questionnaire.</i></p>
23. What standards do you follow?	

24. For Sterile Pharmacy Compounding

• Type of Preparation

- Total Parenteral Nutrition
- Antibiotic Compounding
- Others:

• Equipment Needed for the Process:

• Will you carry out sterility testing using a sterility test pump?

Yes, brand/model:

No

25. For Non-sterile Pharmacy Compounding

• Type of Preparation

- Tablets/Capsules
- Oral Solutions/Suspensions
- Dermatological Preparations
- Others:

• Equipment Needed for the Process:

26. For Sterile Pharmacy Compounding

•Type of Hazardous Drug:

- Non-sterile HD
- Sterile HD
- Both

• Do you handle these drugs or any other volatile drugs?

(Carmustine, Cyclophosphamide, Doxorubicin, Ifosfamide, Meclorothamine, Thiotepa)

Yes

No

**27. Protection
(Tick All That Apply)**

- Operator protection
- Product protection
- Environmental protection

III. CABINET SPECIFICATIONS INFORMATION

*Fields required to be filled out

28. Internal Width*	
29. Internal Depth*	
30. Internal Height*	
31. Level of Need*	<input type="checkbox"/> Open Front <input type="checkbox"/> Closed-system/Isolator
32. Pressure Mode*	<input type="checkbox"/> Positive Pressure <input type="checkbox"/> Negative Pressure <input type="checkbox"/> Required Pressure, please specify per chamber:
33. Airflow Circulation*	<input type="checkbox"/> Recirculating <input type="checkbox"/> Total Exhaust
34. Airflow Pattern*	<input type="checkbox"/> Unidirectional <input type="checkbox"/> Turbulent
35. Airflow Pattern* <i>(Indicate if interior or exterior material of construction)</i>	Specify the preferred material of construction: Internal: External: <input type="checkbox"/> Antimicrobial Powder-Coated ElectroGalvanized Steel <input type="checkbox"/> Stainless Steel 304 <input type="checkbox"/> Stainless Steel 316L <input type="checkbox"/> Others, specify:
36. Control System	<input type="checkbox"/> Standard Esco Sentinel Microprocessor <input type="checkbox"/> Industry Grade HMI/PLC
37. Parameters to Monitor (Tick All That Apply)	<input type="checkbox"/> Velocity <input type="checkbox"/> Pressure across filters <input type="checkbox"/> Temperature <input type="checkbox"/> Humidity <input type="checkbox"/> Pressure in isolator <input type="checkbox"/> Others, Specify:

38. Internal Dimension options (WxDxH)*

- | | |
|--|--|
| <input type="checkbox"/> 100 VAC 50/60 Hz 1 Ph | <input type="checkbox"/> 380 – 400 VAC 50/60 Hz 3 Ph |
| <input type="checkbox"/> 115 VAC 50/60 Hz 1 Ph | <input type="checkbox"/> 480 VAC 60 Hz 3 Ph |
| <input type="checkbox"/> 230 VAC 50/60 Hz 1 Ph | <input type="checkbox"/> Other: |

39. Optional accessories

- Electrical outlets, indicate the Type Code and Power/ Current Rating Required:
- | | |
|---|--|
| <input type="checkbox"/> N ₂ | <input type="checkbox"/> Compressed Air |
| <input type="checkbox"/> Drain Connection | <input type="checkbox"/> Exhaust Duct Connection |
| <input type="checkbox"/> WFI/PW | <input type="checkbox"/> Others, specify: |
- Network Connections
- Adjustable Hydraulic Stand
- BioVap™ Bio-decontamination System
- CCTV Integration + Provision
- Continuous Liner System
- Glove Leak Tester
- Particle Counter (Viable/Non-viable)
- Rear View Screen Adaptation or External Monitor and Keyboard (connected at the side with a mouse arm)
- Side Exhaust Connection
- Others, please specify:

40. Validation Documentation

- | | |
|---|---|
| <input type="checkbox"/> FAT Protocols | <input type="checkbox"/> Biodecon Cycle Development |
| <input type="checkbox"/> SAT Protocols | <input type="checkbox"/> Cleaning Coverage Validation |
| <input type="checkbox"/> IQ/OQ Protocol | <input type="checkbox"/> Others, please specify: |

41. Site Services

- | | |
|---|---|
| <input type="checkbox"/> Full Installation | <input type="checkbox"/> Biodecon Cycle Development |
| <input type="checkbox"/> Commissioning | <input type="checkbox"/> Cleaning Coverage Validation |
| <input type="checkbox"/> Site Acceptance Test (SAT) | <input type="checkbox"/> Others, please specify: |
| <input type="checkbox"/> User and Service Training | |

(If required, we will provide a proposal for travel cost and daily rate)

Important: Save the completed PDF form (use menu File - Save).